

# Python for Non-programmers

## A Gentle Introduction 1

Yann Tambouret

Scientific Computing and Visualization  
Information Services & Technology  
Boston University  
111 Cummington St.  
yannpaul@bu.edu

Winter 2013

# This Tutorial

- This is for non-programmers.
- The first half is very gentle.
- The second half is more in depth.

# This Tutorial

- This is for non-programmers.
- The first half is very gentle.
- The second half is more in depth.
- If you have any programming experience, feel free to entertain yourself at [codingbat.com/python](http://codingbat.com/python)

# This Tutorial

- This is for non-programmers.
- The first half is very gentle.
- The second half is more in depth.
- If you have any programming experience, feel free to entertain yourself at [codingbat.com/python](http://codingbat.com/python)
- Get ready to type... this is definitely interactive.

# Python Overview

- Python is named after the BBC show "Monty Python's Flying Circus"

# Python Overview

- Python is named after the BBC show "Monty Python's Flying Circus"
- We will focus on Python 2 today.

# Python Overview

- Python is named after the BBC show "Monty Python's Flying Circus"
- We will focus on Python 2 today.
- How to get Python on [Katana](#) and on [Windows](#) or [Mac](#)

# Python Overview

- Python is named after the BBC show "Monty Python's Flying Circus"
- We will focus on Python 2 today.
- How to get Python on [Katana](#) and on [Windows](#) or [Mac](#)
- This tutorial borrows largely from a tutorial by the [Boston Python Group](#)





# Python is Interpreted

- Python can be run interactively.

# Python is Interpreted

- Python can be run interactively.
- Code  $\Rightarrow$  execution is almost instant;  
No explicit compilation step required.
- This allows for a faster development process

# Python is Interpreted

- Python can be run interactively.
- Code  $\Rightarrow$  execution is almost instant;  
No explicit compilation step required.
- This allows for a faster development process
- The final product is usually more resource intensive,  
and as a side effect slower than comparable  
C/Fortran code.

# Python is Interactive

Practice running python, type **python** in the terminal, hit Enter:

```
1 % python
2 Python 2.7 (#1, Feb 28 2010, 00:02:06)
3 Type "help", "copyright", "credits" or "license" for more information.
4 >>>
```

- The `>>>` is a prompt asking for the next python line of code.
- Sometimes you'll see `...` as a prompt too.
- To exit, type `exit()` and Enter  
Try it!

# Numbers 1

Start python (type python, then Enter), and try typing the following Addition:

```
1 2 + 2
2 1.5 + 2.25
```

Subtraction:

```
1 4 - 2
2 100 - .5
3 0 - 2
```

Multiplication:

```
1 2 * 3
```

# Numbers 1 - Output

```
1 >>> 2 + 2
2 4
3 >>> 1.5 + 2.25
4 3.75
5 >>> 4 - 2
6 2
7 >>> 100 - .5
8 99.5
9 >>> 0 - 2
10 -2
11 >>> 2 * 3
12 6
```

# Numbers 2

## Division:

```
1 4 / 2
2 1 / 2
3 1.0 / 2
4 3/4 + 1/4
5 3.0/4 + 1.0/4
6 3.0/4.0 + 1.0/4.0
```

# Numbers 2 - Output

```
1 >>> 4/2
2 2
3 >>> 1/2
4 0
5 >>> 1.0/2
6 0.5
7 >>> 3/4 + 1/4
8 0
9 >>> 3.0/4 + 1.0/4
10 1.0
11 >>> 3.0/4.0 + 1.0/4.0
12 1.0
```



# type()

**type()** is a function that tells you what data type Python thinks something is. Try:

```
1 type(1)
2 type(1.0)
```

# type()

**type()** is a function that tells you what data type Python thinks something is. Try:

```
1 type(1)
2 type(1.0)
```

results in:

```
1 >>> type(1)
2 <type 'int'>
3 >>> type(1.0)
4 <type 'float'>
```

# type()

**type()** is a function that tells you what data type Python thinks something is. Try:

```
1 type(1)
2 type(1.0)
```

results in:

```
1 >>> type(1)
2 <type 'int'>
3 >>> type(1.0)
4 <type 'float'>
```

**type()** is a *function*, it takes one *argument* and it returns info about the argument's type. We will talk more about functions in a bit, and create our own.

# Tip

- Press the up arrow a few times in the terminal.
- The Python **Interpreter** saves a history of what you type.
- Pressing up allows you to access previous lines.
- Hit return and you re-run a command.

# Variables 1

- Python variables can be made of any data type.
- Giving a name to some value is called **assignment**.
- Variable names cannot have spaces, and they need to start with a letter.

Try typing:

```
1 type(4)
2 x = 4
3 x
4 type(x)
5 2 * x
```

# Variables 1 - output

and we get:

```
1 >>> type(4)
2 <type 'int'>
3 >>> x = 4
4 >>> x
5 4
6 >>> type(x)
7 <type 'int'>
8 >>> 2 * x
9 8
```

# Note on Output

Just typing a value and the interpreter spits it back out at you. If you assign 4 to a variable, nothing is printed.

```
1 >>> 4
2 4
3 >>> x = 4
```

# Variables 2

Reassignment is possible:

```
1 >>> x = 4
2 >>> x
3 4
4 >>> x = 5
5 >>> x
6 5
```



# Variables 2

Reassignment is possible:

```
1 >>> x = 4
2 >>> x
3 4
4 >>> x = 5
5 >>> x
6 5
```

And order of operations is as you might expect:

```
1 >>> x = 3
2 >>> y = 4
3 >>> 2 * x - 1 * y
4 2
5 >>> (2*x) - (1*y)
6 2
```

# Strings 1

Strings are surrounded by quotes:

```
1 "Hello"  
2 "Python, I'm your #1 fan!"
```

And you can still use **type()** to check things out:

```
1 type("Hello")  
2 type(1)  
3 type("1")
```

# Strings 1 - Output

```
1 >>> "Hello"
2 'Hello'
3 >>> "Python, I'm your #1 fan!"
4 "Python, I'm your #1 fan!"
5 >>> type("Hello")
6 <type 'str'>
7 >>> type(1)
8 <type 'int'>
9 >>> type("1")
10 <type 'str'>
```

# Strings 2

Strings can be combined (concatenated):

```
1 "Hello" + "World"
```

# Strings 2

Strings can be combined (concatenated):

```
1 "Hello" + "World"
```

And you can formally print strings with the **print** command:

```
1 print "Hello" + "World"
```

## Strings 2 - Output

```
1 >>> "Hello" + "World"
2 'HelloWorld'
3 >>> print "Hello" + "World"
4 HelloWorld
```

The effect is the same, but there's a subtle difference of missing quotes.

**print** will become important soon, when we start writing scripts...

# A Note about Errors

What happens when you type:

```
1 z
2 "Hello" + 1
```

# A Note about Errors - Output

```
1 >>> z
2 Traceback (most recent call last):
3   File "<console>", line 1, in <module>
4 NameError: name 'z' is not defined
5 >>> "Hello" + 1
6 Traceback (most recent call last):
7   File "<console>", line 1, in <module>
8 TypeError: cannot concatenate 'str' and 'int' objects
```



# A Note about Errors - Output

```
1 >>> z
2 Traceback (most recent call last):
3   File "<console>", line 1, in <module>
4 NameError: name 'z' is not defined
5 >>> "Hello" + 1
6 Traceback (most recent call last):
7   File "<console>", line 1, in <module>
8 TypeError: cannot concatenate 'str' and 'int' objects
```

A **traceback** occurs:

- **TypeError** is the error that occurs
- **cannot concatenate 'str' and 'int' objects** is the 'helpful' message
- and every thing from **Traceback** to the error tells you where it happened

# Strings 3

Single or Double quotes are OK:

```
1 print 'Hello'
2 print "Hello"
```

But be careful to escape extra quotes:

```
1 print 'I'm a happy camper'
2 print "I'm a happy camper"
3 print 'I\'m a happy camper'
```

And you can *multiply* strings by an integer:

```
1 h = "Happy"
2 b = "Birthday"
3 print (h + b) * 10
```

# Strings 3 - Output

```
1 >>> print 'Hello'
2 Hello
3 >>> print "Hello"
4 Hello
5 >>> print 'I'm a happy camper'
6   File "<console>", line 1
7     print 'I'm a happy camper'
8           ^
9   SyntaxError: invalid syntax
10 >>> print 'I\'m a happy camper'
11 I'm a happy camper
12 >>> print "I'm a happy camper"
13 I'm a happy camper
14 >>> h = "Happy"
15 >>> b = "Birthday"
16 >>> print (h + b) * 10
17 HappyBirthdayHappyBirthdayHappyBirthdayHappyBirthday
```

# From interactive prompt to...

- The Python prompt is great for quick tasks: math, short bits of code, and testing.
- For bigger projects, it's easier to store code in a file.
- One such example can be found in `examples\nobel.py`

# Script Practice: Nobel Laureates

- 1 Exit python: `exit()` then hit Enter  
The `>>>` is now replaced by `%`;  
This is the Unix Prompt.
- 2 Go to examples directory with this command:  
`% cd examples`
- 3 Run the script by typing: `% python nobel.py`
- 4 Open 'nobel.py' (command: `% gedit nobel.py &`)  
and answer these questions:

# Script Practice: Nobel Laureates

1 Exit python: `exit()` then hit Enter

The `>>>` is now replaced by `%`;

This is the Unix Prompt.

2 Go to examples directory with this command:

```
% cd examples
```

3 Run the script by typing: `% python nobel.py`

4 Open 'nobel.py' (command: `% gedit nobel.py &`)  
and answer these questions:

1 How do you comment code in Python?

2 How do you print a newline?

3 How do you print a multi-line string so that  
whitespace is preserved?

# Booleans 1

A Boolean type is a type with two values: True/False.  
Try typing the following:

```
1 True
2 type(True)
3 False
4 type(False)
```

```
1 >>> True
2 True
3 >>> type(True)
4 <type 'bool'>
5 >>> False
6 False
7 >>> type(False)
8 <type 'bool'>
```



# Booleans 2a

You can also compare values, to see if they're equal:

```
1 0 == 0  
2 0 == 1
```

# Booleans 2b

You can also compare values, to see if they're equal:

```
1 >>> 0 == 0
2 True
3 >>> 0 == 1
4 False
```

`==` (equal equal) is for equality test

`=` (equal) is for *assignment*

**Be careful!** This can lead to bugs!

# Booleans 3

You can do other comparisons: `!=` means not equal

```
1 "a" != "a"  
2 "a" != "A"
```

Others are just like math class:

```
1 1 > 0  
2 2 >= 3  
3 -1 < 0  
4 .5 <= 1
```

# Booleans 3 - Output

```
1 >>> "a" != "a"
2 False
3 >>> "a" != "A"
4 True
5 >>> 1 > 0
6 True
7 >>> 2 >= 3
8 False
9 >>> -1 < 0
10 True
11 >>> .5 <= 1
12 True
```

# Booleans 4

You can see if something is *in* something else:

```
1 "H" in "Hello"  
2 "X" in "Hello"
```

or *not*:

```
1 "a" not in "abcde"  
2 "Perl" not in "Python Tutorial"
```

# Booleans 4 - Output

```
1 >>> "H" in "Hello"
2 True
3 >>> "X" in "Hello"
4 False
5 >>> "a" not in "abcde"
6 False
7 >>> "Perl" not in "Python Tutorial"
8 True
```

# Flow Control 1

You can use *Booleans* to decide if some code should be executed:

```
1 if 6 > 5:  
2     print "Six is greater than five!"
```

This is a multi-line piece of code:

- 1 `if 6 > 5:`
- 2 Enter
- 3 4 spaces
- 4 `print "Six is greater than five!"`
- 5 Enter
- 6 Enter again...

# Flow Control 2

The "..." is a special prompt; Python realizes this is a **code block**.

Final enter is to signify the end of **code block**.



# Flow Control 2

The "..." is a special prompt; Python realizes this is a **code block**.

Final enter is to signify the end of **code block**.

```
1 >>> if 6 > 5:
2 ...     print "Six is greater than five!"
3 ...
4 Six is greater than five!
```

What's going on here?

**if** looks for a *Boolean*, and if it is true, the **code block** is executed.

# Flow Control 2

The "..." is a special prompt; Python realizes this is a **code block**.

Final enter is to signify the end of **code block**.

```
1 >>> if 6 > 5:  
2 ...     print "Six is greater than five!"  
3 ...  
4 Six is greater than five!
```

What's going on here?

**if** looks for a *Boolean*, and if it is true, the **code block** is executed.

6 > 5 is True

so the next line is executed.

# Flow Control 3

Now what will happened?

```
1 if 0 > 2:  
2     print "Zero is greater than two!"  
3 if "banana" in "bananarama":  
4     print "I miss the 80s."
```

# Flow Control 3 - Output

```
1 >>> if 0 > 2:
2 ...     print "Zero is greater than two!"
3 ...
4 >>> if "banana" in "bananarama":
5 ...     print "I miss the 80s"
6 ...
7 I miss the 80s
```

# Indentation, what's up with that?

- If you've programmed in other languages, this indentation thing might seem weird.
- Python prides itself as an easy-to-read language, and indentation makes it easy to read **code blocks**.
- So Python requires indentation over if/end-if, begin-block/end-block organization.

# Indentation - example

```
1 # this looks like other languages ,
2 # but I use a comment to organize
3 if 1 == 1:
4     print "Everything is going to be OK!"
5     if 10 < 0:
6         print "or is it?"
7     #end if
8     print "Inside first code block!"
9 #end if
```

Don't use `#end if`, just keep it in your mind if it gets confusing...

# Flow Control 4

More control over choices `if` and `else`:

```
1 sister_age = 15
2 brother_age = 12
3 if sister_age > brother_age:
4     print "sister is older"
5 else:
6     print "brother is older"
```

- `else` **block** needs to be correctly indented too.
- `else` gets executed if *Boolean* is `False`.
- You don't *shouldn't* hit Enter twice between if code block and `else` statement.

# Compound Conditionals 1

- `and` and `or` allow you to combine tests.
- `and`: True only if both are True
- `or`: True if **at least one** is True

Try these:

```
1 1 > 0 and 1 < 2
2 1 < 2 and "x" in "abc"
3 "a" in "hello" or "e" in "hello"
4 1 <= 0 or "a" not in "abc"
```



# Compound Conditionals 1 - Output

```
1 >>> 1 > 0 and 1 < 2
2 True
3 >>> 1 < 2 and "x" in "abc"
4 False
5 >>> "a" in "hello" or "e" in "hello"
6 True
7 >>> 1 <= 0 or "a" not in "abc"
8 False
```

# Compound Conditionals 2

Try this:

```
1 temperature = 32
2 if temperature > 60 and temperature < 75:
3     print "It's nice and cozy in here!"
4 else:
5     print "Too extreme for me."
```

# Compound Conditionals 2 - Output

```
1 >>> temperature = 32
2 >>> if temperature > 60 and temperature < 75:
3 ...     print "It's nice and cozy in here!"
4 ... else:
5 ...     print "Too extreme for me."
6 ...
7 Too extreme for me.
```

# Compound Conditions 3

And try this:

```
1 hour = 11
2 if hour < 7 or hour > 23:
3     print "Go away!"
4     print "I'm sleeping!"
5 else:
6     print "Welcome to the cheese shop!"
7     print "Can I interest you in some choice gouda?"
```

# Compound Conditions 3 - Output

```
1 >>> hour = 11
2 >>> if hour < 7 or hour > 23:
3     ...     print "Go away!"
4     ...     print "I'm sleeping!"
5     ... else:
6     ...     print "Welcome to the cheese shop!"
7     ...     print "Can I interest you in some choice gouda?"
8     ...
9 Welcome to the cheese shop!
10 Can I interest you in some choice gouda?
```

# Flow Control 5

There's also `elif`:

```
1 sister_age = 15
2 brother_age = 12
3 if sister_age > brother_age:
4     print "sister is older"
5 elif sister_age == brother_age:
6     print "sister and brother are the same age"
7 else:
8     print "brother is older"
```

# Flow Control 5 - Output

```
1 >>> sister_age = 15
2 >>> brother_age = 12
3 >>> if sister_age > brother_age:
4 ...     print "sister is older"
5 ... elif sister_age == brother_age:
6 ...     print "sister and brother are the same age"
7 ... else:
8 ...     print "brother is older"
9 ...
10 sister is older
```

`else` is not required at the end,  
just like in the first `if` example.

# Functions

Remember `type()`? Functions ...

- do some useful work,
- let us re-use code without having to retype it,
- can take some input, and optionally `return` a value.



# Functions

Remember `type()`? Functions ...

- do some useful work,
- let us re-use code without having to retype it,
- can take some input, and optionally `return` a value.

You call a function by using its name, followed by its **arguments** in parenthesis:

```
1 length = len("Mississippi")
```

This assigns the number of characters in the string "Mississippi" to the variable `length`.

# Functions: Step 1

Write the function signature, how it will be called:

- 1 `def`, Tells Python you're defining a function.
- 2 Then a space, and the function's name.
- 3 Then an open parenthesis.
- 4 Then a comma-separated list of **parameters**
- 5 Then a closing parenthesis.
- 6 And finally a colon, `:`.

```
1 def myFunction():
```

or

```
1 def myFunction(myList, myInteger):
```

# Functions: Step 2

Do something (useful):

- Underneath the function signature you do some work.
- This code must be indented, just like `if/else` blocks.
- This tells python that it's part of the function.
- You can use variables passed as **parameters** just like you used variables before

```
1 def add(x, y):  
2     result = x + y
```

# Functions: Step 3

- Return something (if you want to).
- `return` tells python to return a result.

```
1 def add(x, y):  
2     result = x + y  
3     return result
```

or shorter....

```
1 def add(x, y):  
2     return x + y
```

In Python you can return anything: strings, booleans ... even other functions!

# Functions: Step 3

Once `return` is called, the work in the function ends:

```
1 def absoluteValue(number):  
2     if number < 0:  
3         return number * -1  
4     return number
```

# Functions: Step 3

Once `return` is called, the work in the function ends:

```
1 def absoluteValue(number):
2     if number < 0:
3         return number * -1
4     return number
```

This code have also been written like:

```
1 def absoluteValue(number):
2     if number < 0:
3         return number * -1
4     else:
5         return number
```

# Functions: Step 4

Use them! Again and again and again....

```
1 def add(x, y):  
2     return x + y  
3  
4 result = add(1234, 5678)  
5 print result  
6 result = add(-1.5, .5)  
7 print result
```

# Functions: Step 4

Use them! Again and again and again....

```
1 def add(x, y):  
2     return x + y  
3  
4 result = add(1234, 5678)  
5 print result  
6 result = add(-1.5, .5)  
7 print result
```

Keep in mind, functions don't have to return something, but they usually do.



# End of Part 1

Thanks!

Fill out the survey please!

# Resources

- Like this tutorial: [https://openhatch.org/wiki/Boston\\_Python\\_Workshop\\_6/Friday](https://openhatch.org/wiki/Boston_Python_Workshop_6/Friday)
- A good place to practice:  
<http://codingbat.com/python>
- Much more detail:  
<http://docs.python.org/tutorial/>